

Akash Kohli
+91-88007 05899
+91-96969 64436

Office:
Ph.: 011-41684972


Sanjay Kohli
+91-98111 41923
+91-6262628887



Kohli Aluminium

PAHARGANJ, NEW DELHI

Auth. Stockist:



B-3, Pushpa Complex, D. B. Gupta Road, Paharganj, New Delhi - 110055

Email: aluminium.kohli@gmail.com

Website: www.kohlialuminium.com | www.kohlialuminium.co

Kohli Aluminium : Shaping Excellence in Aluminium Since 1994*

Are you looking for a reliable and experienced aluminium solutions provider?

Look no further than Kohli Aluminium, a pioneering company that has been serving customers since its establishment in 1994. With over three decades of expertise, we have become a trusted name in the aluminium industry.

At Kohli Aluminium, we pride ourselves on delivering top-quality aluminium products and services tailored to meet the diverse needs of our clients.

Contact us today and let us help you shape excellence with aluminium. Together, we can turn your vision into reality.



Kohli Aluminium

PAHARGANJ, NEW DELHI

Contact: +91-9811141923 | +91-8800705899

Email: aluminium.kohli@gmail.com

Website: www.kohlialuminium.com | www.kohlialuminium.co



C O N T E N T

DOMAL SLIDING WINDOWS - 27mm SERIES	03
DOMAL SLIDING WINDOWS - 29mm SERIES	05
DOMAL SLIDING WINDOWS - 37mm SERIES	09
CASEMENT WINDOW - 40mm SERIES	11
CASEMENT WINDOW - 50mm SERIES	13
CASEMENT WINDOW - 50mm SERIES - 2	14
SLIM STRUCTURAL PROFILE	15
SLIM SLIDING FRAME	16
SLIM SLIDING FRAME - 2	16
SLIM STRUCTURAL PROFILE	18
SLIM STRUCTURAL PROFILE - 2	19
RAILING TOP SECTION	21
RAILING BOTTOM SECTION	22
RAILING BOTTOM SECTION - 2	23
GATE PROFILES	24
GATE PROFILES - 2	25
GATE PROFILES - 3	26
GATE PROFILES - 4	27
GATE PROFILES - 5	28
GATE PROFILES - 6	29
GATE PROFILES - 7	30
CLADDING PROFILES	31
CLADDING PROFILES - 2	32
MODULAR TOILET PARTITION	33
SLOTTED TUBE	34
STRUCTURAL GLAZING	35
CURTAIN WALL	36




WINDOW SLIDING SECTION

27mm SERIES

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2701	0.959	0.810-1.100

3 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2702	1.458	1.240-1.670

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2703	0.813	0.715-0.910


S. G. HANDLE



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2704	0.906	0.800-1.010




INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2705	0.355	0.310-0.400

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2706	0.790	0.680-0.900

ZALI CLIP



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2707	0.134	0.120-0.150

ADD ON



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2708	0.418	0.120-0.170

KA

Kohli Aluminium
PAHARGANJ, NEW DELHI


Office - Ph.: 011-41684972



WINDOW SLIDING SECTION


29mm SERIES

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2901	1.576	1.410-1.730

RAIL TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2902	0.167	0.150-0.190

3 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2903	2.136	1.900-2.370

D. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2904	0.799	0.700-0.900

INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2905	0.368	0.325-0.410

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2906	0.978	0.860-1.100

ZALI CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2907	0.134	0.120-0.150

S. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2908	0.907	0.795-1.020

3 TRACK WITHOUT LEG




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2909	0.526	0.460-0.590

JALI SLIM INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2910	0.00	2.000-2.250

SLIM INTERLOCK



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2911	0.00	2.160-3.350

HURRICANE BAR




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2912	0.000	4.620-4.920




WINDOW SLIDING SECTION


29mm SERIES




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2909	1.50	1.713




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2913	1.40	0.964



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2914	1.52	0.747



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2915	1.52	1.172



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-2915	1.20	0.282



Kohli Aluminium
PAHARGANJ, NEW DELHI

Office - Ph.: 011-41684972




WINDOW SLIDING SECTION

37mm SERIES

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI

2 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3701	1.985	1.785-2.190

3 TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3702	2.963	2.660-3.260

3 TRACK
WITH CAP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3703	0.317	3.025-3.600

RAIL TRACK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3704	0.190	0.170-0.210

ZALI HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3705	1.587	1.430-1.750

ZALI CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3706	0.134	0.120-0.150

S. G. HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3707	1.466	1.310-1.620

D. G.
HANDLE




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3708	1.329	1.190-1.470

INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3709	0.634	0.550-0.715

JALI SLIM INTERLOCK




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3710	0.000	2.550-2.850

SLIM INTERLOCK



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3711	0.000	2.500-2.750

HURRICANE BAR



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-3712	0.000	5.220-5.550




CASEMENT WINDOW SECTION

40mm SERIES

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI

OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4001	0.561	0.560-0.590

S. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4002	0.189	0.190-0.200

MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4003	0.762	0.660-0.860

BIG OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4004	0.881	0.850-0.940

D. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4005	0.162	0.135-0.190

DOOR Z




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4006	0.860	0.750-0.970

BIG MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4007	0.850	0.740-0.960

BOTTOM




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4008	0.000	4.620-4.950

INVERSION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4009	0.000	1.170-1.320

MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4010	1.50	0.746

CLIP



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4011	1.00	0.199

CLIP



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-4012	1.20	0.249




CASEMENT WINDOW SECTION

50mm SERIES


KA

Kohli Aluminium
PAHARGANJ, NEW DELHI

OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5001	1.033	0.940-1.130




ASSEMBLY

S. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5002	0.303	0.260-0.350

MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5003	1.218	1.120-1.350




ASSEMBLY

D. G. CLIP




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5004	0.234	0.200-0.270

WINDOW MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5005	1.114	0.970-1.255




ASSEMBLY

WINDOW Z




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5006	0.993	0.875-1.110

FLYING MULLION




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5007	0.667	0.590-0.750

BOTTOM



Section No.	Weight Kg/M
KA-5008	1.552

BIG OUTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5009	1.050	0.930-1.170

CASEMENT WINDOW SECTION


50mm SERIES

ADOPTER




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5010	0.584	0.520-0.650



BIG DOOR MULLION



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5011	1.428	1.265-1.595




BIG DOOR Z




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5012	1.428	1.265-1.595

INVERSION



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5013	0.000	1.820-1.950



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5014	0.000	4.500-4.800



Kohli Aluminium
PAHARGANJ, NEW DELHI


Office - Ph.: 011-41684972

SLIM STRUCTURAL PROFILES


DESIGN & BUILD

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-001	3000MM	0.809




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-002	3000MM	0.558




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-003	3000MM	0.142




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-004	3000MM	0.770




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-005	3000MM	0.107




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-006	3000MM	0.112




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-007	3000MM	0.096



SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-008	3000MM	0.565




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-009	3000MM	0.468



SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-010	3000MM	0.169



SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-011	3000MM	0.212




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-012	3000MM	0.321

SLIM STRUCTURAL PROFILES


DESIGN & BUILD

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-013	3000MM	0.167




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-014	3000MM	0.909




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-015	3000MM	1.044




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-016	3000MM	0.654




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-017	3000MM	1.126




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-018	3000MM	0.624




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-019	3600MM	0.794




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-020	4800MM	0.824




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-021	4800MM	0.355



SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-022	4800MM	0.751




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-023	4800MM	0.359




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-024	3000MM	0.679

SLIM SLIDING FRAMED SERIES


DESIGN & BUILD




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-025	3600MM	0.862




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-026	3600MM	0.816




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-027	3000MM	0.504




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-028	3600MM	0.661




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-029	3000MM	0.000




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-030	3600MM	0.000




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-031	3600MM	0.000




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-032	3600MM	0.000




SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-033	3600MM	0.000



SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-034	3600MM	0.202



SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-035	3600MM	0.195



SLIM	GLAZE	BLOCK
Section No.	Cut Length	Weight Kg/M
SL-036	3600MM	0.618

SLIM SLIDING FRAMED SERIES


DESIGN & BUILD

KA


Kohli Aluminium

PAHARGANJ, NEW DELHI


25 MM THK. SERIES



Section No.	Cut Length	Weight Kg/M
25.02	2600MM 3600MM	0.330




Section No.	Cut Length	Weight Kg/M
25.06	2600MM 3600MM	0.346




Section No.	Cut Length	Weight Kg/M
25.08	2600MM 3600MM	0.198


STILE DOOR SECTIONS



Section No.	Cut Length	Weight Kg/M
D45.01	2600MM 3600MM	1.573




Section No.	Cut Length	Weight Kg/M
D45.02	2600MM 3600MM	1.374




Section No.	Cut Length	Weight Kg/M
D45.03	2600MM 3600MM	0.175


45 MM THK. SERIES



Section No.	Cut Length	Weight Kg/M
45.02	2600MM 3600MM	0.000




Section No.	Cut Length	Weight Kg/M
45.06	2600MM 3600MM	0.632




Section No.	Cut Length	Weight Kg/M
45.07	2600MM 3600MM	0.207

45 MM THK. SERIES




Section No.	Cut Length	Weight Kg/M
45.08	2600MM 3600MM	0.800

INTEGRATED PAITAM



Section No.	Cut Length	Weight Kg/M
D45.04	2600MM 3600MM	0.000

DOOR JAMB




Section No.	Cut Length	Weight Kg/M
DJ 100/ 75.03	2600MM 3600MM	0.000


SLIM SLIDING FRAMED SERIES

DESIGN & BUILD


75 MM THK. SERIES



Section No.	Cut Length	Weight Kg/M
75.02	2600MM 3600MM	0.600




Section No.	Cut Length	Weight Kg/M
75.06	2600MM 3600MM	0.510




Section No.	Cut Length	Weight Kg/M
75.07	2600MM 3600MM	0.675

75 MM THK. SERIES




Section No.	Cut Length	Weight Kg/M
75.08	2600MM 3600MM	0.278


100 MM THK. SERIES



Section No.	Cut Length	Weight Kg/M
100.02	2600MM 3600MM	0.782




Section No.	Cut Length	Weight Kg/M
100 / 75.03	2600MM 3600MM	0.000




Section No.	Cut Length	Weight Kg/M
100.06	2600MM 3600MM	0.723

100 MM THK. SERIES



Section No.	Cut Length	Weight Kg/M
100.07	2600MM 3600MM	0.857



Section No.	Cut Length	Weight Kg/M
100.08	2600MM 3600MM	0.473


SLIM SLIDING FRAMED SERIES

DESIGN & BUILD

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI

12 MM CORNER GUARD




Section No.	Cut Length	Weight Kg/M
KA-3001	2600MM 3600MM	0.066

19 MM CORNER GUARD




Section No.	Cut Length	Weight Kg/M
KA-3002	2600MM 3600MM	0.101

25 MM CORNER GUARD




Section No.	Cut Length	Weight Kg/M
KA-3303	2600MM 3600MM	0.141

6MM HAT




Section No.	Cut Length	Weight Kg/M
KA-3004	2600MM 3600MM	0.066

8MM HAT




Section No.	Cut Length	Weight Kg/M
KA-3005	2600MM 3600MM	0.101


30MM CARPET



Section No.	Cut Length	Weight Kg/M
KA-3006	2600MM 3600MM	0.133




Section No.	Cut Length	Weight Kg/M
KA-3007	2600MM 3600MM	0.436




Section No.	Cut Length	Weight Kg/M
KA-3008	2600MM 3600MM	0.223

SLIM U SMALL




Section No.	Cut Length	Weight Kg/M
KA-3009	2600MM 3600MM	0.133

SLIM H SMALL




Section No.	Cut Length	Weight Kg/M
KA-3010	2600MM 3600MM	0.066

SLIM U BIG



Section No.	Cut Length	Weight Kg/M
KA-3011	2600MM 3600MM	0.101

SLIM H BIG




Section No.	Cut Length	Weight Kg/M
KA-3012	2600MM 3600MM	0.133

RAILING SECTION


TOP

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI




Section No.	Weight Range
KA-6001	0.546 MTR




Section No.	Weight Range
KA-6002	0.918 MTR




Section No.	Weight Range
KA-6003	1.250MTR




Section No.	Weight Range
KA-6004	1.309 (KG/M)



Section No.	Weight Range
KA-6005	4.200-4.500/12'



Section No.	Weight Range
KA-6006	4.180-4.580/12'




Section No.	Weight Range
KA-6007	2.200-2.450/12'

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI

Office - Ph.: 011-41684972


RAILING SECTION BOTTOM




Section No.	Weight Range
KA-7001	2.620 (KG/M)




Section No.	Weight Range
KA-7002	0.285 (KG/M)




Section No.	Weight Range
KA-7003	2.549 (KG/M)




Section No.	Weight Range
KA-7004	2.000-2.300/12'



Section No.	Weight Range
KA-7005	1.100-1.350/12'




Section No.	Weight Range
KA-7006	5.127MTR




Section No.	Weight Range
KA-7007	3.548 KG




Section No.	Weight Range
KA-7008	1.774 KG




Section No.	Weight Range
KA-7009	0.744 KG



Section No.	Weight Range
KA-7010	7.030-7.250/12'




Section No.	Weight Range
KA-7011	19.240-19.540/12'




Section No.	Weight Range
KA-7012	1.868 KG


RAILING SECTION BOTTOM




Section No.	Weight Range
KA-7013	20.680-21.150/12'




Section No.	Weight Range
KA-7014	12.500-12.980/12'




Section No.	Weight Range
KA-7015	2.130 TO 2.310 /12'




Section No.	KG / MTR
KA-7016	5.21/1MTR




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-7017	4.44	5.284




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-7018	6.10	6.781



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-7019	As per Drawing	8.728



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-7020	As per Drawing	8.728



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-7021	20.775	8.728




Kohli Aluminium
PAHARGANJ, NEW DELHI


Office - Ph.: 011-41684972

GATE PROFILES


DESIGN & BUILD




Section No.	KG/FT
KA-8001	3.4 / 12'



Section No.	KG/FT
KA-8002	3.8 / 12'



Section No.	KG/FT
KA-8003	2.840 / 12'




Section No.	KG/FT
KA-8004	2.510-2.700 / 12'




Section No.	KG / FT
KA-8005	3.0 / 12'



Section No.	KG / FT
KA-8006	3.6 / 12'




Section No.	KG / FT
KA-8007	6.150-6.350 / 12'




Section No.	KG/FT
KA-8008	3.2 / 12'




Section No.	KG / FT
KA-8009	6.9 / 12'



Section No.	KG / FT
KA-8010	6.5 / 12'




Section No.	KG / FT
KA-8011	5.8 / 12'




Section No.	KG/FT
KA-8012	6.315/12'

GATE PROFILES


DESIGN & BUILD



Section No.	KG/FT
KA-8013	4.265 / 21'




Section No.	KG/FT
KA-8014	6.1 / 12'



Section No.	KG/FT
KA-8015	4.45 / 12'




Section No.	KG/FT
KA-8016	5.4 / 12'




Section No.	KG / FT
KA-8017	7.4 / 12'



Section No.	KG / FT
KA-8018	8.0 / 12'



Section No.	KG / FT
KA-8019	6.315 / 12'



Section No.	KG/FT
KA-8020	5.29 / 12'



Section No.	KG / FT	T (mm)
KA-8021	4.4 / 12' 5.5 / 12'	1.7 2.5



Section No.	KG / FT
KA-8022	5.35 / 12'



Section No.	KG/FT
KA-8023	6.3 / 12'



Section No.	KG/FT
KA-8024	6.210 - 6.420 / 12'

GATE PROFILES


DESIGN & BUILD




Section No.	KG/FT
KA-8025	6.460-6.680 / 12'




Section No.	KG / FT
KA-8026	1.650-1.860 / 12'



Section No.	KG / FT	T (MM)
KA-8027	3.2 / 12'	???????




Section No.	KG/FT
KA-8028	3.8 / 12'




Section No.	KG / FT
KA-8029	2 / 12'




Section No.	KG / FT
KA-8030	2.100 / 12'



Section No.	KG / FT
KA-8031	6.5 / 12'



Section No.	KG/FT
KA-8032	6 / 12'




Section No.	KG/FT
KA-8033	7.100 / 12'



Section No.	KG/FT
KA-8034	4.3 / 12'




Section No.	KG/FT
KA-8035	2.100 / 12'




Section No.	KG/FT
KA-8036	3.240-3.450 / 12'

GATE PROFILES


DESIGN & BUILD




Section No.	KG / FT
KA-8037	4.000-4.250 / 12'




Section No.	KG / FT
KA-8038	5.400-5.600 / 12'




Section No.	KG / FT
KA-8039	7.700-10.000 / 12'




Section No.	KG / FT
KA-8040	4.140-4.400 / 12'




Section No.	KG / FT
KA-8041	3.650-3.850 / 12'




Section No.	KG / FT
KA-8042	3.310-3.550 / 12'




Section No.	KG / FT
KA-8043	4.200-4.450 / 12'




Section No.	KG / FT
KA-8044	4.680-4.930 / 12'




Section No.	KG / FT
KA-8045	4.850-5.000 / 12'



Section No.	KG / FT
KA-8046	1.800-2.000 / 12'





Section No.	KG / FT
KA-8047	3.100-3.250 / 12'



Section No.	KG / FT
KA-8048	3.220-3.400 / 12'

GATE PROFILES




DESIGN & BUILD



Section No.	KG / FT
KA-8049	2.680-2.850 / 12'

Section No.	KG / FT
KA-8050	3.640-3.850/12'


Section No.	KG/FT
KA-8051	4.800-5.000/ 12'



Section No.	KG / FT
KA-8052	5.660-5.850/ 12'

Section No.	KG / FT
KA-8053	7.140-7.300. / 12'




Section No.	KG / FT
KA-8054	6.390-6.550 / 12'



Section No.	KG/FT
KA-8055	3.190-3.300/12'

Section No.	KG/FT
KA-8056	3.780-3.900 / 12'

Section No.	KG/FT
KA-8057	2.560-2.750 / 12'




Section No.	KG/FT
KA-8058	1.860-2.050 / 12'

Section No.	KG/FT
KA-8059	3.830-4.100 / 12'


Section No.	KG / FT
KA-8060	5.670-5.850 / 12'

GATE PROFILES


DESIGN & BUILD




Section No.	KG / FT
KA-8061	3.080-3.250 / 12'




Section No.	KG / FT
KA-8062	5.070-5.250/12'




Section No.	KG / FT
KA-8063	7.400-7.700/12"




Section No.	KG / FT
KA-8064	5.380-5.580/12"




Section No.	KG / FT
KA-8065	4.825-5.125/12"




Section No.	KG / FT
KA-8066	3.120-3.300/12"



Section No.	KG / FT
KA-8067	2.650-2.900/12"




Section No.	KG / FT
KA-8068	2.650-2.900/12"




Section No.	KG / FT
KA-8069	5.200-5.450/12"



Section No.	KG / FT
KA-8070	5.820-6.100/12"




Section No.	KG / FT
KA-8071	5.780-6.000/12"




Section No.	KG / FT
KA-8072	2.620-2.820/12"

GATE PROFILES


DESIGN & BUILD



Section No.	KG / FT
KA-8073	3.365-3.570/12"




Section No.	KG / FT
KA-8074	2.270-2.470/12"




Section No.	KG / FT
KA-8075	3.680-3.880/12"




Section No.	KG / FT
KA-8076	3.000-3.250/12"




Section No.	KG / FT
KA-8077	5.700-5.950/12"




Section No.	KG / FT
KA-8078	5.000-5.250/12"




Section No.	KG / FT
KA-8079	3.825-4.075/12"



Section No.	KG / FT
KA-8080	6.965-7.215/12"




Section No.	KG / FT
KA-8081	4.160-4.410/12"



Section No.	KG / FT
KA-8082	6.850-7.050/12"



Section No.	KG / FT
KA-8083	3.690-3.940/12"




Section No.	KG / FT
KA-8084	0.680-0.780/12"

CLADDING PROFILES


DESIGN & BUILD

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI



Section No.	KG / FT
KA-9001	1.200-1.500/12"




Section No.	KG / FT
KA-9002	1.400-1.700/12"



Section No.	KG / FT
KA-9003	1.300-1.600/12"




Section No.	KG / FT
KA-9004	1.950-2.300/12"




Section No.	KG / FT
KA-9005	1.120-1.220/12"



Section No.	KG / FT
KA-9006	1.550-1.650/12"




Section No.	KG / FT
KA-9007	1.900-2.200/12"




Section No.	KG / FT
KA-9008	4.75-5.100/12"




Section No.	KG / FT
KA-9009	1.200-1.500/12"



Section No.	KG / FT
KA-9010	4.100-4.400/12"



Section No.	KG / FT
KA-9011	2.200-2.400/12"




Section No.	KG / FT
KA-9012	2.850-3.100/12"

CLADDING PROFILES


DESIGN & BUILD

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI




Section No.	KG / FT
KA-9013	7.350-7.650/12"



Section No.	KG / FT
KA-9014	15.550-16.150/12"



Section No.	KG / FT
KA-9015	5.84-16.50/12"



Section No.	KG / FT
KA-9016	6.960-7.200/12"

KA

Kohli Aluminium

PAHARGANJ, NEW DELHI


Office - Ph.: 011-41684972

MODULAR TOILET PARTITION


DESIGN & BUILD

KA


Kohli Aluminium
PAHARGANJ, NEW DELHI




Section No.	KG / FT
KA-9051	0.150-0.170/12"



Section No.	KG / FT
KA-9052	0.250-0.280/12"



Section No.	KG / FT
KA-9053	0.400-0.450/12"



Section No.	KG / FT
KA-9054	0.800-0.850/12"

KA


Kohli Aluminium

PAHARGANJ, NEW DELHI


Office - Ph.: 011-41684972

SLOTTED TUBE


DESIGN & BUILD




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1001	1.50	0.79




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1002	1.70	0.604




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1003	1.50	0.48




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1004	1.50	0.97




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1005	1.30	0.76



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1006	1.30	0.78



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1007	1.50	0.83



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1008	1.80	1.59




Kohli Aluminium
PAHARGANJ, NEW DELHI


Office - Ph.: 011-41684972

LOUVERS


DESIGN & BUILD




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1001	0.167	0.140-0.190



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1002	0.00	0.429




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1003	0.00	0.514




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-1004	0.00	0.519

CONVAIR PROFILE


DESIGN & BUILD




Section No.	KG / FT
KA-2011	1.70-2.20/15"




Section No.	KG / FT
KA-2012	3.80-4.40/15"




Section No.	KG / FT
KA-2013	6.75-7.20/15"




Section No.	KG / FT
KA-2014	5.60-6.00/15"




Section No.	KG / FT
KA-2015	6.870-7.250/15"




Section No.	KG / FT
KA-2016	4.650-5.00/15"



Section No.	KG / FT
KA-2017	6.50-7.00/15"




Section No.	KG / FT
KA-2018	2.750-3.000/12'




Section No.	KG / FT
KA-2019	11.300-11.600/12'

CURTAIN WALL


40mm SERIES




Section No.	A	R	KG / MT
KA-4051	125	150	1.143



Section No.	A	R	KG / MT
KA-4051	105	125	0.994




Section No.	A	R	KG / MT
KA-4051	80	75	0.810




Section No.	KG / MT
KA-4054	0.918

PRESSURE PLATE



Section No.	KG / MT
KA-4055	0.449


COVER PLATE




Section No.	KG / MT
KA-4056	0.271

STRUCTURE GLAZING


DESIGN & BUILD




Section No.	Weight Kg/M
KA-5051	0.754



Section No.	Weight Kg/M
KA-5053	1.324




Section No.	Weight Kg/M
KA-5054	1.696




Section No.	Weight Kg/M
KA-5055	2.171

CURTAIN WALL


55MM & 57MM SERIES



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5501	1.50	0.342




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5502	3.00	0.514




Section No.	Weight Kg/M	Wt. Range Kg/M
KA-5503	2.00	1.819




Section No.	Thickness	Wt. Range Kg/M
KA-5701	1.30	0.324



Section No.	Thickness	Wt. Range Kg/M
KA-5702	2.00	0.446



Section No.	Thickness	Wt. Range Kg/M
KA-5703	2.25	1.732




Section No.	Thickness	Wt. Range Kg/M
KA-5704	2.00	2.055

CURTAIN WALL


67mm SERIES

PRESSURE PLATE




Section No.	Weight Kg/M
KA-6701	0.623


COVER PLATE




Section No.	Weight Kg/M
KA-6702	0.594




Section No.	A	B	C	D	Weight Kg/M
KA-6703	81.16	50	2	2	1.615




Section No.	A	Weight Kg/M
KA-6704	81.16	1.294




Section No.	A	B	C	D	Weight Kg/M
KA-6705	131.16	100	3.7	2.2	2.594



Section No.	A	Weight Kg/M
KA-6706	131.16	1.881




Section No.	A	B	C	D	F	Weight Kg/M
KA-6707	166	135	31	5	3	3.929




Section No.	A	B	Weight Kg/M
KA-6708	166	3	3.361

DGU GLASS PROFILE


DESIGN & BUILD




Section No.	Weight Kg/M	Wt. Range Kg/M
75.06	0.510	0.450-0575




Section No.	Weight Kg/M	Wt. Range Kg/M
100.12	0.00	0.00




Section No.	Weight Kg/M	Wt. Range Kg/M
100.16	0.00	0.00



Section No.	Weight Kg/M	Wt. Range Kg/M
100.17	0.000	0.00




Section No.	Weight Kg/M	Wt. Range Kg/M
100.18	0.00	0.00




Section No.	Weight Kg/M	Wt. Range Kg/M
100.40	0.00	3.400-3.700/12'

FABRIC PROFILE


DESIGN & BUILD




Section No.	A	B	T	Weight Kg/12'
KA-1051	14.00	21.20	1.00	0.550 - 0.650




Section No.	A	B	T	Weight Kg/12'
KA-1052	20.00	25.00	1.00	0.650 - 0.700




Section No.	A	B	T	Weight Kg/12'
KA-1053	26.00	25.00	1.00	0.850 - 1.000




Section No.	A	B	T	Weight Kg/12'
KA-1054	40.00	29.00	0.80	1.150 - 1.350




Section No.	A	B	T	Weight Kg/12'
KA-1055	50.00	30.00	0.70	1.100 - 1.300




Section No.	A	B	T	Weight Kg/12'
KA-1056	60.00	30.00	0.80	1.300 - 1.500



Section No.	A	B	T	Weight Kg/12'
KA-1057	78.00	30.00	0.80	1.600 - 1.800




Section No.	A	B	T	Weight Kg/12'
KA-1058	97.00	35.60	0.80	2.100 - 2.400



Section No.	A	B	T	Weight Kg/12'
KA-1059	99.80	3.65	0.95	0.950 - 1.150

NEW PLATE PROFILE

DESIGN & BUILD



Section No.	Weight Kg/M	Wt. Range Kg/M
KA-9051	0.497	3600

Section No.	Weight Kg/M	Wt. Range Kg/M
KA-9052	0.917	3600

Section No.	Weight Kg/M	Wt. Range Kg/M
KA-9053	1.423	3600



Kohli Aluminium
PAHARGANJ, NEW DELHI

Office - Ph.: 011-41684972

NOTES

[illegible]



Kohli Aluminium

— PAHARGANJ, NEW DELHI —

AUTH. STOCKIST: HINDALCO EXTRUSIONS LTD.

Deals in: All kinds of Aluminium Sections, Sheet, Coils Foils, Chequered Plates Etc.

B-3, Pushpa Complex, D. B. Gupta Road, Paharganj, New Delhi - 110055

Contact: +91-9811141923 | +91-8800705899

Email: aluminium.kohli@gmail.com

Website: www.kohlialuminium.com | www.kohlialuminium.co